

# 中國金龜子科名錄\*

## 胡氏“中國昆蟲目錄補遺”\*\*

黃 可 訓

(北京農業大學昆蟲學系)

金龜子科是鞘翅目中種類繁多，而且經濟重要性比較大的一科。這科昆蟲的食性，主要可分兩類：糞食性和植食性，糞食性的種類較少，植食性的大多是作物的害蟲，根據胡經甫(1936)所編的“中國昆蟲目錄”，中國金龜子科已經記載的有 886 種；毛應斗(1940)“中國金龜子科目錄補遺”中增加 40 種，共計 926 種，二氏均未將台灣種類列入。作者就現有的文獻資料，重加考查，截至 1945 年為止，應當增加 336 種，6 亞種，22 變種，12 變型，分屬於 13 亞科，其中台灣種類佔大多數，胡氏目錄中有 8 種及 2 變型的分佈地域，加以補充。

昆蟲目錄的工作是重要的，但是不容易作得完全，所以難免還有遺漏和錯誤，希望專家們予以指正。本文承蒙陸近仁先生熱心協助和指正；又承陳世驥先生供給文獻，特此謹致謝忱。

Superfamily Scarabaeoidea

Family Scarabaeidae

Subfamily Troginae

Genus *Trox* Fab.

*T. komareki* Balhasar

Balhasar, Ent. Bl. 27:130, 1931.

烏蘇里。

*T. mitis* Balhasar

Balhasar, Ent. Nachr. Bl. 7:81, 1933.

烏蘇里。

*T. opacotuberculatus* Motschulsky

Motschulsky, Etud. Ent. 9:14, 1860.

Miwa, Ins. Mats. 4(4):171, 1930.

台灣。

*T. scaber* Linnaeus

Linnaeus, Syst. Nat. 12:573, 1776 (*Scarabaeus*).

Miwa, Ins. Mats. 4(4):171, 1930.

台灣。

*T. ussuriensis* Balhasar

Balhasar, Ent. Bl. 27:129, 1931.

烏蘇里。

*T. vimmeri* Balhasar

Balhasar, Ent. Bl. 27:130, 1931.

烏蘇里。

*T. zozufali* Balhasar

Balhasar, Ent. Bl. 27:131, 1931.

烏蘇里。

\* 1951 年 12 月 21 日收到。

\*\* 本文係與華北農業科學研究所合作工作的一部份。

## Subfamily Coprinae

Genus *Scarabaeus* Linné*S. erichsoni* Harold

Harold, Col. 2:94, 1867.

Miwa, Syst. Cat. For. Col. p. 312, 1931.

台灣。

Genus *Gymnopleurus* Ill.*G. ambiguus* Janssens

Janssens, Bull. Mus. Hist. nat. Belg. 19(17):1, 1943.

台灣。

*G. assamensis* Waterhouse

Waterhouse, Ann. Mag. nat. Hist. 5(6):411, 1890.

Miwa, Ins. Mats. 4(4):165, 1930.

台灣。

*G. granulatus* FabriciusFabricius, Ent. Syst. 1:65, 1927 (*Scarabaeus*).

Miwa, Ins. Mats. 4(4):165, 1930.

台灣。

Genus *Sisyphus* Latreille*S. indicus* Hope

Hope, Zool. Misc. p. 22, 1831.

Miwa, Ins. Mats. 4(4):165, 1930.

台灣。

*S. longipes* OlivierOlivier, Ent. I, Scarab. p. 164, pl. 19, f. 177, 1789 (*Scarabaeus*).

Miwa, Ins. Mats. 4(4):165, 1930.

台灣。

*S. thoracicus* Sharp

Sharp Col. Hefte 13:39, 1875.

Miwa, Syst. Cat. For. Col. p. 277, 1931.

台灣。

Genus *Synapsis* Bates*S. yunnanus* Arrow

Arrow, Ann. Mag. nat. Hist. 12(10):428, 1933.

雲南。

Genus *Helicopriss* Hope*H. mtidas* FabriciusFabricius, Syst. Ent. 1:21, 1775 (*Copris*).

台灣。

Genus *Copris* Geoffroy*C. basipunctatus* Balthasar

Balthasar, Ent. Bl. 38:115, 1942.

中國。

*C. klapperichi* Balthasar

Balthasar, Ent. Bl. 38:116, 1942.

中國。

*C. sorex* Balthasar

Balthasar, Ent. Bl. 38:117, 1942.

中國。

*C. tripartitus* Waterhousevar. *formosanus* Gillett, Ann. Soc. Sci. Brux. 41:126, 1921.

台灣。

Genus *Paraphytus* Harold*P. dentifrons* Lewis

Lewis, Ann. Mag. nat. Hist. 16(6):376 f. 3,4, 1895.

Miwa, Ins. Mats. 4(4):166 1930.

台灣。

Genus *Drepanocerus* Kirby*D. arrowi* Balthasar

Balthasar, Acta Soc. Ent. Cech. 29:64, 1932.

中國。

Genus *Oniticellus* Serv.*O. sagittarius* FabriciusFabricius, Syst. Ent. p. 24, 1871 (*Scarabaeus*).

Miwa, Syst. Cat. For. Col. p. 279, 1931.

台灣。

Genus *Caccobius* Thomson*C. chujoi* Paulian

Paulian, Bull. Soc. Ent. Fr. 1942: 47, 1942.

台灣。

*C. fukiensis* Balthasar

Balthasar, Ent. Bl. 38:119, 1942.

中國。

*C. scrofa* Balthasar

Balthasar, Ent. Bl. 38:118, 1942.

中國。

*C. tsunoellus* Matsumura

Matsumura, Ins. Mats. 12(2):55, 1933.

台灣。

*C. yamauchi* Matsumura

Matsumura, Ins. Mats. 11(2):66, 1936.

台灣.

Genus *Chironitis* Lansb.*C. moeris* Pall. (1781)

Boucomont, Ling. Sci. J. 7:763, 1929.

中國.

Genus *Lialongus* Reitter*L. imitator* Balhasar

Balhasar, Acta Soc. Ent. Csl. 35:98, 1938.

四川.

Genus *Matashia* Matsumura*M. mushanq* Matsumura

Matsumura, Ins. Mats. 12(2): 62, 1938.

台灣.

Genus *Panelus* Lewis*P. parvulus* Waterhouse

Waterhouse, Ent. Monthl. Mag. 10:175, 1874

(Tennoplectron).

Miwa, Ins. Mats. 4(4):165, 1930.

台灣.

Genus *Onthophagus* Latreille*O. acuticollis* Gillet

Gillet, Bull. Ann. Soc. Ent. Belg. 67:225, 1927.

台灣.

*O. agilis* Matsumura

Matsumura, Ins. Mats. 12(2):56, 1938.

台灣.

*O. amplexus* Sharp

Sharp, Col. Hefte 14:53, 1875.

Lansb., Notes Leyd. Mus. 5:41, 1883.

*smeei* Har., Col. Hefte 14:137, 1875.*smeei* Marcus, Arch. f. Nat. A 83(10):64, 1917 (1919).

中國.

*O. argyropygus* Gillet

Gillet, Bull. Ann. Soc. Ent. Belg. 67:256, 1927.

台灣.

*O. balthasari* Vsetecka

Vsetecka, Acta Soc. Ent. Csl. 36:43, 1939.

中國.

*O. choqaturinus* Matsumura

Matsumura, Ins. Mats. 12(2):56, 1938.

台灣.

*O. egurianus* Matsumura

Matsumura, Ins. Mats. 12(2):57, 1938.

台灣.

*O. formosanus* Gillet

Gillet, Ann. Soc. Sci. Brux. 44:67, 1924.

台灣.

*O. gonoderus* Fairmaire

Fairmaire, Ann. Ent. Belg. 22:17, 1888.

雲南.

*O. hirsutulus* Lansb.

Lansb., Not. Leyd. Mus. 5:67, 1883.

Matsumura, Ins. Mats. 12(2):54, 1938.

台灣.

*O. konoi* Matsumura

Matsumura, Ins. Mats. 12(2):58, 1938.

台灣.

*O. kuatunensis* Balhasar

Balhasar, Ent. Bl. 38:129, 1942.

中國.

*O. kuraruanus* Matsumura

Matsumura, Ins. Mats. 12(2):58, 1938.

台灣.

*O. lenzi* Har.subsp. *marginithorax* Vsetecka, Acta Soc. Ent. Csl. 36:44, 1939.

華南、華西.

*O. lutosopictus* Fairm.

Fairm., Bull. Soc. Ent. Fr. 1897:67, 1897.

Matsumura, Ins. Mats. 12(2): 54, 1938.

台灣.

*O. mendicus* Gillet

Gillet, Ann. Soc. Ent. Brux. 44:67, 1924.

Miwa, Ins. Mats. 4(4): 169, 1930.

台灣.

*O. midoranus* Matsumura

Matsumura, Ins. Mats. 12(2):59, 1938.

台灣.

*O. missor* Balhasar

Balhasar, Acta Soc. Ent. Csl. 35:97, 1938.

雲南.

*O. miyabei* Matsumura

Matsumura, Ins. Mats. 12(1):4, 1937.

東北.

*O. mushensis* Matsumura

Matsumura, Ins. Mats. 12(2):59, 1938.

台灣。

*O. nagasawai* Matsumura

Matsumura, Ins. Mats. 12(2):60, 1938.

台灣。

*O. nakatomi* Matsumura

Matsumura, Ins. Mats. 12(1):4, 1937.

東北。

*O. nachicornis* Linné

Boucomont, Ling. Sci. J. 10(4):452, 1931.

中國。

*O. pseudojaponicus* Balthasar

Balthasar, Ent. Bl. 37:91, 1941.

ab. *yulingensis* Balthasar, Ent. Bl. 37:91, 1941.subsp. *fukienensis* Balthasar, Ent. Bl. 37:91, 1941.

中國。

*O. putealis* Matsumura

Matsumura, Ins. Mats. 12(2):61, 1938.

台灣。

*O. sauteri* Gillet

Gillet, Ann. Soc. Ent. Brux. 44:68, 1942.

Miwa, Ins. Mats. 4(4):169, 1930.

台灣。

*O. shoyozanus* Matsumura

Matsumura, Ins. Mats. 12(1):5, 1937.

東北。

*O. sonant* Miwa

Miwa, Ins. Mats. 4(4):171, 1930.

Matsumura, Ins. Mats. 12(2):55, 1938.

台灣。

*O. sutleinensis* Splichal

Splichal, Deut. Ent. Zeitschr. p. 567, 1910.

Boucomont, Ling. Sci. J. 7:773, 1929.

中國。

*O. tatsienluensis* Balthasar

Balthasar, Ent. Bl. 38:121, 1942.

中國。

*O. turmalis* Gillet

Gillet, Ann. Soc. Ent. Brux. 44:68, 1942.

Miwa, Ins. Mats. 4(4):169, 1930.

台灣。

*O. umenoi* Matsumura

Matsumura, Ins. Mats. 12(2):61, 1938.

台灣。

*O. yanoi* Matsumura

Matsumura, Ins. Mats. 12(2):62, 1938.

台灣。

*O. yubarinus* Matsumura

Matsumura, Ins. Mats. 11(4):168, 1937.

Matsumura, Ins. Mats. 12(2):55, 1938.

台灣。

## Subfamily Aphodiinae

Genus *Aphodius* IlligerSubgenus *Colobopter* Mulsant*A. (C.) indagator* Mannh.var. *propraelor* Balthasar, Ent. Nachr. Bl. 6:2, 1932.

烏蘇里。

Subgenus *Cinacanthus* Schmidt*A. (C.) gregarius* Har.

Har., Col. Hefte 10:112, 1871.

Boucomont, Ling. Sci. J. 7:776, 1929.

中國。

Subgenus *Loboparius* Schmidt*A. (L.) globulus* Har.var. *bisectus* Heydon, Horae Ross. 23:637, 1889.

甘肅。

Subgenus *Phaeaphodius* Reitter*A. (P.) rectus* Motsch.ab. *rufopicalis* Tesar, Sborn. Ent. Odd. nar. Mus. Prace 12:175, 1943.ab. *balthasari* Tesar, Sborn. Ent. Odd. nar. Mus. Prace 12:175, 1943.ab. *proksi* Tesar, Sborn. Ent. Odd. nar. Mus. Prace 12:175, 1943.ab. *jurecekianus* Tesar, Sborn. Ent. Odd. nar. Mus. Prace 12:175, 1943.

烏蘇里。

Subgenus *Acrossus* Mulsant*A. (A.) depressus* Kugel

Boucomont, Ling. Sci. J. 7:779, 1929.

中國。

*A. (A.) luridus* Fabricius

Boucomont, Ling. Sci. J. 7:779, 1929.

中國。

Subgenus *Volinus* Mulsant*A. (V.) kukunorensis* Sem.subsp. *petiolatus* Kozancikov, Rev. Russ.

Ent. 12:522, 1912.

西藏.

Subgenus *Amidorus* Mulsant*A. (A.) thermicola* Sturm

Boucomont, Ling. Sci. J. 7:782, 1929.

中國.

Subgenus *Aphodius* Mulsant*A. (A.) fimetarius* L.

Boucomont, Ling. Sci. J. 7:783, 1929.

中國.

Subgenus *Agriolus* Mulsant*A. (A.) perblandus* Balthasar

Balthasar, Ent. Nachr. Bl. 7:59 1933.

中國.

Subgenus *Bodilus* Mulsant*A. (B.) aquilus* Schmidtvar. *bellus* Schmidt, Arch. Natg. A 87(1):  
109, 1917.

雲南.

*A. (B.) imundus* Creutz.

Boucomont, Ling. Sci. J. 7:786, 1929.

中國.

Subgenus *Nialus* Mulsant*A. (N.) kratzi* Har. (1868)

Boucomont, Ling. Sci. J. 7:786, 1929.

中國.

Subgenus *Coptochiroides* Har.*A. (C.) guntherschmidti* Balthasar

Balthasar, Koleopt. Rdsch. 24:210, 1933.

東北.

*A. (C.) inflatus* Balthasar

Balthasar, Koleopt. Rdsch. 14:214, 1933.

中國.

Subgenus *Agolitus* Schmidt*A. (A.) lapponum* Gyll.

Boucomont, Ling. Sci. J. 7:784, 1929.

中國.

Subgenus *Meltonpterus* Mulsant*A. (M.) prodromus* Brahm.

Boucomont, Ling. Sci. J. 7:781, 1929.

中國.

Subgenus *Paulianellus* Balthasar*A. (P.) maderi* Balthasar

Balthasar, Acta Soc. Ent. Csl. 35:7, 1938.

四川.

*A. crenatus* Harold

Harold, Berl. Ent. Zeitschr. 6:141, 1862.

Miwa, Ins. Mats. 4(4):174, 1930.

台灣.

*A. kotoensis* Miwa

Miwa, Ins. Mats. 4(4):174, 1930.

台灣.

*A. lividipennis* WaterhouseWaterhouse, Trans. ent. Soc. Lond. 1875:81,  
1875.

中國.

*A. major* WaterhouseWaterhouse, Trans. ent. Soc. Lond. 1875:80,  
1875.

中國.

*A. marginellus* Fabriciusvar. *priseus* Motschulsky, Etud. Ent. 7:56,  
1858.

Miwa, Ins. Mats. 4(4):173, 1930.

台灣.

*A. moestus* Fabricius

Fabricius, Syst. Eleuth. 1:78, 1801.

Miwa, Ins. Mats. 4(4):173, 1930.

台灣.

*A. pallidicinctus* WaterhouseWaterhouse, Trans. ent. Soc. Lond. 1875:85,  
1875.

Miwa, Syst. Cat. For. Col. p. 284, 1931.

台灣.

*A. pallidilignis* WaterhouseWaterhouse, Trans. ent. Soc. Lond. 1875:87  
1875.

中國.

*A. piceus* Gyll.

Gyll., Ins. Suec. 1(1):21, 1808.

阿爾泰山.

*A. pilosus* Harold

Harold, Berl. Ent. Zeitschr. 18:183, 1874.

Miwa, Ins. Mats. 4(4):172, 1930.

台灣。

*A. punctatus* Waterhouse

Waterhouse, Trans. ent. Soc. Lond. 1875:87, 1875.

中國。

*A. rugosostriatus* Waterhouse

Waterhouse, Trans. ent. Soc. Lond. 1875:92, 1875.

Miwa, Ins. Mats. 4(4):172, 1930.

台灣。

*A. rufus* Erichson

Erichson, Doubl. Verz. Seneg. Ins. p. 7, 1842.

Miwa, Ins. Mats. 4(4):173, 1930.

台灣。

*A. segmentaroides* Schmidt

Schmidt, Soc. Ent. 24:11, 1909.

Miwa, Ins. Mats. 4(4):173, 1930.

台灣。

*A. sinuatus* Harold

Harold, Ann. Soc. Ent. Fr. 8(3):614, 1860.

Miwa, Ins. Mats. 4(4):173, 1930.

台灣。

*A. soror* Fabricius

ab. beckeri Mader, Ent. Nachr. Bl. 12:56, 1938.

四川。

*A. uniformis* Waterhouse

Waterhouse, Trans. ent. Soc. Lond. 1875:84, 1875.

中國。

*A. uniplegiatus* Waterhouse

Waterhouse, Trans. ent. Soc. Lond. 1875:84, 1875.

中國。

Genus *Heptaulacus* Mulsant*H. tesari* Paulian

Paulian, Bull. Soc. Ent. Fr. 1942:47, 1942.

中國。

Genus *Ataenius* Har.*A. cameratus* Schmidt

Schmidt, Ent. Wochenbl. 25:47, 1908.

Miwa, Ins. Mats. 4(4):175, 1930 (*Oxyomus*).

台灣。

Genus *Saprosites* Redt.*S. formosensis* Nomura

Nomura, Nippon no Kochu 3:36, 1939.

台灣。

*S. japonicus* Waterhouse

Waterhouse, Trans. ent. Soc. Lond. 1875:93, 1875.

Miwa, Ins. Mats. 4(4):175, 1930.

台灣。

*S. narae* Lewis

Lewis, Ann. Mag. nat. Hist. 16(6):382, 1895.

Miwa, Ins. Mats. 4(4):175, 1930.

台灣。

*S. yanai* Nomura

Nomura, Nippon no Kochu 3:36, 1939.

台灣。

Genus *Rhyssenus* Mulsant*R. inscitus* Walker

Walker, Ann. Mag. nat. Hist. 2(3):207, 1858.

Miwa, Ins. Mats. 4(4):175, 1930.

台灣。

Genus *Trichiorhyssenus* Clouet*T. hirsutus* Clouet

Clouet, Mem. Soc. Ent. Belg. 8:28-35, 1910.

Miwa, Ins. Mats. 4(4):175, 1930.

台灣。

Genus *Rhyparus* Westwood*R. helephoroides* Fairmaire

Fairmaire, Not. Leyd. Mus. 15:145, 1893.

Miwa, Ins. Mats. 4(4):176, 1930.

台灣。

*R. peninsularis* Arrow

Arrow, Ann. Mag. nat. Hist. 15(7):537, 1905.

Miwa, Ins. Mats. 4(4):176, 1930.

台灣。

*R. philippinensis* Arrow

Arrow, Ann. Mag. nat. Hist. 15(7):538, 1905.

Miwa, Ins. Mats. 4(4):176, 1930.

台灣。

Genus *Psammobius* Heer*P. conexus* Waterhouse

Waterhouse, Trans. ent. Soc. Lond. 1875:94,

1875.

Miwa, Ins. Mats. 4(4):175, 1930.

台灣.

*P. indicus* Harold

Harold, Ann. Mus. Genova 10:100, 1877.

Miwa, Ins. Mats. 4(4):175, 1930.

台灣.

Genus *Pleurophorus* Mulsant*P. caesus* Creutz.

Boucumont, Ling. Sci. J. 7:787, 1929.

中國.

Subfamily Ochodaeinae

Genus *Ochodaeus* Serville*O. maculatus* WaterhouseWaterhouse, Trans. ent. Soc. Lond. 1875:95,  
1875.

Miwa Ins. Mats. 4(4):163, 1930.

台灣.

Subfamily Geotrupinae

Genus *Bolbocerosoma* Schaeffer*B. nigroplagiatus* WaterhouseWaterhouse, Trans. ent. Soc. Lond. 1875:96  
1875.

Miwa, Ins. Mats. 4(4):163, 1930.

台灣.

Genus *Bolboceras* Kirby*B. calanus* Westwood

Westwood, Ann. Mag. nat. Hist. p. 354, 1848

Miwa, Ins. Mats. 4(4):163, 1930.

台灣.

*B. chaoyanum* Nijima & Kinoshita

Nijima &amp; Kinoshita, Rep. First Scient. Exped.

Manchoukuo (5) 1, pt. 11, art. 55, 1937.

熱河.

*B. quadridens* Kolbe

Kolbe, Stett. Ent. Zeit. 55:171, 1894.

Miwa, Ins. Mats. 4(4):163, 1930.

台灣.

Genus *Geotrupes* LatreilleSubgenus *Phelotrupes* Jekel*G. (P.) taovistriatus* Motsch.subsp. *formosanus* Miwa, Ins. Mats. 4(4):

164, 1930.

台灣.

Genus *Lethrus* ScopoliSubgenus *Cerathodirus* Fischer*L. (G.) gladiator* Reitter

Reitter, Dtsch. Ent. Zeit. p. 213, 1897.

阿爾泰山.

Subfamily Glaphyrinae

Genus *Toxocerus* Fairmaire*T. corinthia* FairmaireFairmaire, Comp. Rend. Soc. Ent. Belg. 35:9,  
1891.

中國.

*T. dolorosa* FairmaireFairmaire, Comp. Rend. Soc. Ent. Belg. 35:9,  
1891.

中國.

Subfamily Melolonthinae

Genus *Serica* M'Leay*S. chinensis* Moser

Moser, Stett. Ent. Zeit. 70:144, 1915.

中國.

*S. euphorbiae* Burmeister

Burmeister, Handb. Ent. 4:177, 1855.

Nijima &amp; Kinoshita, Rep. First Scient. Exped.

Manchoukuo (5) 1, pt. 11, 1937.

熱河.

*S. formosana* Moser

Moser, Dtsch. Ent. Zeit. p. 237, 1915.

Miwa, Syst. Cat. For. Col. p. 288, 1931.

台灣.

*S. horishana* Nijima & Kinoshita

Nijima &amp; Kinoshita, Res. Bull. Col. exp.

For. Hokkaido Imp. Univ. 4:78, 1927.

台灣.

*S. nakayamai* Murayama

Murayama, Ann. Zool. Jap. p. 16, 1937.

Murayama, 滿洲生物學會會報, p. 19, 1941.

東北.

*S. nittakana* Sawada

Sawada, Nippon no Kochu 3:49 1939.

台灣.

*S. polita* (Gebler)

Gebler, Nounv. mém. Soc. Imp. Moscou 2:52,

1832 (*Omalopecta*).

Murayama, 長白山綜合調查報告, p. 161, 1941.  
東北.

Genus *Maladera* Mulsant

*M. castanea* (Arrow)

Arrow, Ann. Mag. nat. Hist. p. 398, 1913.  
Kano, Bull. Biogeogr. Soc. Jap. 4:113, 1933.  
Kono, Ins. Ma's. 9(4):163, 1935.

*japonica* Kobayashi, Trans. Kansai ent.  
Soc. 2:64, 1931 (*Autoserica*).

台灣.

Genus *Autoserica* Brenske

*A. formosae* Brenske

Brenske, Berl. Ent. Zeitschr. 43:210, 1898.  
台灣.

*A. inovenusta* Moser

Moser, Stett. Ent. Zeit. 79:212, 1918.  
台灣.

*A. sattoi* Niiijima & Kinoshita

Niiijima & Kinoshita, Res. Bull. Col. exp.  
For. Hokkaido Imp. Univ. 4:79, 1927.

台灣.

*A. sauteri* Moser

Moser, Stett. Ent. Zeit. 79:213, 1918.  
台灣.

Genus *Sericania* Reitter

*S. hasegawae* Murayama

Murayama, Ann. Zool. Jap. 20(1):37, 1941.  
東北.

*S. latisulcata* Murayama

Murayama, Ann. Zool. Jap. 20(1):36, 1941.  
東北.

Genus *Neoserica* Brenske

*N. macrophthalma* Moser

Moser, Stett. Ent. Zeit. 79:219, 1918.  
台灣.

Genus *Gastroserica* Brenske

*G. bicolor* Niiijima & Kinoshita

Niiijima & Kinoshita, Res. Bull. Col. exp.  
For. Hokkaido Imp. Univ. 2:220, 1923.

台灣.

Genus *Pachyserica* Brenske

*P. marmorata* Blanchard

Blanchard, Cat. Col. Ent. 1:77, 1850 (*Omalopecta*).

Miwa, Syst. Cat. For. Col. p. 290, 1931.

台灣.

Genus *Anomalophylla* Reitter

*A. barberi* Sharp

Sharp, Ann. Mag. nat. Hist. 11(7):469, 1903  
(*Melasserica*).

Miwa, Syst. Cat. For. Col. p. 290, 1931.  
台灣.

Genus *Apogonia* Kirby

*A. amida* Lewis

Lewis, Ann. Mag. nat. Hist. 17(6):332, 1896.  
Miwa, Syst. Cat. For. Col. p. 291, 1931.  
台灣.

*A. cupreovitridis* Murayama

Murayama, 滿洲生物學會會報 4(2): 74-86, 1941.  
金州, 蓋平, 錦縣, 開原, 公主嶺.

*A. formosana* Moser

Moser, Dtsch. Ent. Zeit. p. 429, 1913.  
台灣.

*A. rufobrunnea* Moser

Miwa, Syst. Cat. For. Col. p. 291, 1931.  
台灣.

*A. sauteri* Moser

Moser, Stett. Ent. Zeit. 79:232, 1918.  
台灣.

Genus *Cyphochilus* Waterhouse

*C. insulanus* Moser

Moser, Stett. Ent. Zeit. 79:242, 1918.  
var. *miwai* Nakabayasi, Trans. Kansai ent.  
Soc. 8:139, 1939.

台灣.

Genus *Lepidiotia* Hope

*L. cratacea* Niiijima & Kinoshita

Niiijima & Kinoshita, Res. Bull. Col. exp.  
For. Hokkaido Imp. Univ. 2:224, 1923.  
台灣.



Genus *Holotrichia* Hope

- H. hortshana* Nijima & Kinoshita  
Nijima & Kinoshita, Res. Bull. Col. exp.  
For. Hokkaido Imp. Univ. 2:222, 1923.

台灣.

- H. koraiensis* Murayama  
Murayama, 滿洲生物學會會報 4(2):74-86, 1941.  
玉泉. 哈爾濱.

- H. pruinosa* Nijima & Kinoshita  
Nijima & Kinoshita, Res. Bull. Col. exp.  
For. Hokkaido Imp. Univ. 2:221, 1923.

台灣.

- H. reticulata* Murayama  
Murayama, Ann. Zool. Jap. 20(1):39, 1941.  
東北.

- H. sauteri* Moser  
Moser, Ann. Soc. Ent. Belg. 56:436, 1912.

台灣.

- H. similima* Moser  
Moser, Ann. Soc. Ent. Belg. 54:434, 1912.

中國.

- H. titlani* Reitter  
Reitter, Verh. Ver. Brunn 40:177, 1903.  
烏蘇里.

Genus *Microtrichia* Brenske

- M. acutangularis* Moser  
Moser, Stett. Ent. Zeit. 79:243, 1918.

華南.

- M. formosana* Moser  
Moser, Dtsch. Ent. Zeit. p. 273, 1913.

台灣.

Genus *Lastopsis* Er.

- L. balgensis* Murayama  
Murayama, Ann. Zool. Jap. 20(1):38, 1941.

東北.

- L. formosanus* Nijima & Kinoshita  
Nijima & Kinoshita, Res. Bull. Col. exp.

For. Hokkaido Imp. Univ. 4:83, 1927.

台灣.

- L. manchuricus* Murayama  
Murayama, Ann. Zool. Jap. 20(1):38, 1941.

東北.

- L. sahlbergi* Mannerheim  
Mannerheim, Bull. Soc. Nat. Mosc. 22(1):239,

1849 (*Rhizotrogus*).

- Miwa, Syst. Cat. For. Col. p. 292, 1931.  
台灣.

Genus *Brahmina* Blanch.

- B. amurensis* Brenske  
Brenske, Berl. Ent. Zeitschr. 37:95, 1892.

黑龍江.

- B. intermedia* Mannerheim  
var. *grandipunctata* Murayama, 4(2):74-86  
1941.

華北.

- B. nasulata* Arrow  
Arrow, Ann. Mag. nat. Hist. 11(11):639, 1944.  
西藏.

- B. tibetana* Arrow  
Arrow, Ann. Mag. nat. Hist. 11(11):640, 1944.  
西藏.

- B. yabloniana* Murayama  
Murayama, 滿洲生物學會會報 4(2):74-86, 1941.  
華北.

Genus *Rhizotrogus* Berhold.

- R. bilobus* Sharp  
Sharp, J. A. S. B. 47:173, 1878.  
新疆.

Genus *Miridiba* Reitter

- M. korana* Nijima & Kinoshita  
Murayama, 滿洲生物學會會報 4(2):74-86, 1941.  
大連, 撫順, 公主嶺, 安東.

Genus *Polyphylla* Harris

- P. formosana* Nijima & Kinoshita  
Nijima & Kinoshita, Res. Bull. Col. Agr. Ex.  
Forest, Hokkaido Imp. Univ. 2:69-229,  
1923.

- Miwa, Syst. Cat. For. Col. p. 293, 1931.  
台灣.

- P. schestakowi* Semenow  
Semenow, Horae Soc. Ent. Ross. 34:310, 1900.  
新疆.

Genus *Hoplosternus* Guér.

- H. insularis* Moser  
Moser, Stett. Ent. Zeit. 79:246, 1918.  
台灣.

Genus *Melolontha* Fabricius*M. incana* Murayama

Murayama, 滿洲生物學會會報 4(2):74-86, 1941.  
大連, 普蘭店, 金州, 得利寺, 龍潭山, 熊岳城,  
興城, 撫順, 北京.

*M. insulana* Moser

Moser, Stett. Ent. Zeit. 79:346, 1918.  
Miwa, Syst. Cat. For. Col. p. 293, 1931.

var. *lathokuensis* Nijima & Kinoshita, Res.

Bull. Col. Ex. Forest, Col. Agr. Hok-  
kaido Imp. Univ. 2:65, 1923.

台灣.

Genus *Schoenherria* Burmeister*S. argus* Burmeister

Burmeister, Handb. Ent. 4(2):419, 1855  
(*Melolontha*).

Miwa, Syst. Cat. For. Col. p. 293, 1931.

台灣.

Genus *Dichelomorpha* Burmeister*D. delauneyi* Fleutiaux

Fleutiaux, Ann. Soc. Ent. Fr. 8(6):82, 1887.  
Miwa, Syst. Cat. For. Col. p. 287, 1931.

台灣.

Genus *Ectinohoplia* Redth.*E. arrowi* Miwa

Miwa, Syst. Cat. For. Col. p. 237, 1931.

*formosana* Arrow, Proc. zool. Soc. Lond.  
19:209, 1921.

台灣.

*E. chrysura* Reitter

Reitter, Verh. Nat. Ver. Brunn 61:108, 1903.  
Miwa, Syst. Cat. For. Col. p. 287, 1931.

台灣.

*E. formosana* Moser

Moser, Stett. Ent. Zeit. 80:362, 1919.

台灣.

*E. gunnana* Moser

Moser, Stett. Ent. Zeit. 80:361, 1919.  
雲南.

*E. yot* Sawada

Sawada, Nippon no Koshu 3:41, 1939.

台灣.

Genus *Hoplia* Ill.*H. djukini* Jacobsen

Jacobsen, Russe Ent. 14:2, 1914.

烏蘇里.

*H. gracillipes* Lewis

Lewis, Ann. Mag. nat. Hist. 16(6):389, 1895.

Miwa, Syst. Cat. For. Col. p. 288, 1931.

台灣.

*H. reini* Heyden

Heyden, Dtsch. Ent. Zeit. 23:339, 1879.

Miwa, Syst. Cat. For. Col. p. 288, 1931.

台灣.

Genus *Monotropus* Er.*M. suworzowi* Semenow

Semenow, Horae Ent. Ross. 25:319, 1891.

阿爾泰山.

Genus *Gymnagaster* Blanchard*G. ezaki* Nijima & Kinoshita

Nijima & Kinoshita, Res. Boll. Col. exp. For  
Hokkaido Imp. Univ. 2:223, 1923.

台灣.

Miwa, Syst. Cat. For. Col. p. 288, 1931.

Genus *Heptophylla* Motschulsky*H. formosana* Nijima & Kinoshita

Nijima & Kinoshita, Res. Bull. Col. exp. For.  
Hokkaido Imp. Univ. 2:84, 1923.

台灣.

Genus *Granida* Motschulsky*G. albolineata* Motschulsky

Motschulsky, Etud. Ent. 10:8, 1861.

Miwa, Syst. Cat. For. Col. p. 292, 1931.

台灣.

Genus *Dasylepida* Moser*D. fissa* Moser

Moser, Dtsch. Ent. Zeit. p. 287, 1913.

中國.

## Subfamily Euchirinae

Genus *Cheilotonus* Hope*C. macleayi formosanus* Ohaus

Ohaus, Ent. Purdach. 30:142, 1913.

Miwa, Syst. Cat. For. Col. p. 294, 1931.

台灣.

## Subfamily Rutelinae

Genus *Parastasia* Westwood*P. canaliculata* Westwood

Westwood, Ann. Mag. nat. Hist. 8:204, 1841.

Miwa, Syst. Cat. For. Col. p. 294, 1931.

台灣.

*P. confluens* Westwood

Westwood, Ann. Mag. nat. Hist. 8:303, 1841.

Miwa, Syst. Cat. For. Col. p. 294, 1931.

台灣.

*P. formosana* Ohaus

Ohaus, Arch. Natg. A 91(5):122, 1926.

台灣.

Genus *Anomala* SamouelleSubgenus *Aprosterna* Hope*A. (A.) inconcinna* Bates

Bates, Proc. Zool. Soc. Lond. 1866:343, 1866.

台灣.

Subgenus *Anomala* Sam.*A. (A.) auracoides* Ohaus

Ohaus, Stett. Ent. Zeit. 76:327, 1915.

Miwa, Syst. Cat. For. Col. p. 295, 1931.

台灣.

*A. (A.) badia* Ohaus

Ohaus, Arch. Natg. 91:127, 1926.

台灣.

*A. (A.) cyprigogastra* Ohaus

Ohaus, Stett. Ent. Zeit. 99:264, 1938.

台灣.

*A. (A.) dimidiata* HopeHope, Gray's Zool. Misc. p. 23, 1931 (*Euchlora*).

Miwa, Syst. Cat. For. Col. p. 297, 1931.

台灣.

*A. (A.) ebentna* Fairmaireab. *flava* Tesar, Ent. Nachr Bl. 12:170, 1939.

中國.

*A. (A.) edentulata* Ohaus

Ohaus, Arch. Natg. 91:128, 1926.

台灣.

*A. (A.) erubescens* Ohaus

Ohaus, Arch. Natg. 91:129, 1926.

台灣.

*A. (A.) fasciolata* Ohaus

Ohaus, Arch. Natg. 91:124, 1926.

台灣.

*A. (A.) flavofasciata* Arrow

Arrow, Ann. Mag. nat. Hist. 9(8):72, 1912.

Miwa, Syst. Cat. For. Col. p. 294, 1931.

台灣.

*A. (A.) formosana* Nijima & Kinoshita

Sawada, Nippon no Kochu 4:42, 1941.

台灣.

*A. (A.) holosericioides* Nijima & Kinoshita

Nijima &amp; Kinoshita, Res. Bull. Col. exp.

For. Hokkaido Imp. Univ. 4:85, 1927.

台灣.

*A. (A.) heplocosmela* Ohaus

Ohaus, Arch. Natg. 91:125, 1926.

台灣.

*A. (A.) ishidae* Nijima & Kinoshita

Nijima &amp; Kinoshita, Res. Bull. Col. exp.

For. Hokkaido Imp. Univ. 4:86, 1927.

台灣.

*A. (A.) jonasi* Ohaus

Ohaus, Ent. Zeit. 77:326, 1915.

var. *obscurior* Ohaus, Arch. Natg. A, 4:4, 1922.var. *chlorochalcea* Ohaus, Arch. Natg. 91:124, 1926.

台灣.

*A. (A.) libidinosa* Ohaus

Ohaus, Arch. Natg. A, 4:5, 1922.

台灣.

*A. (A.) limbifera* Ohaus

Ohaus, Ent. Zeit. 76:330, 1915.

台灣.

*A. (A.) lucens* Ballion (= *tokioensis* N. & K.)

Nijima &amp; Kinoshita, Res. Bull. Col. exp.

For. Hokkaido Imp. Univ. 4:77, 1927.

台灣.

*A. (A.) luculenta* Er.ab. *cyaneoviolacea* Balihar, Acta Soc. Ent. Cech. 26:99, 1930.var. *caerulea* Ohaus, Dtsch. Ent. Zeit. p. 147, 1930.var. *rufosemorata* Ritr., Verh. Nat. Ver. Brum. 41:74, 1903.

東北, 烏蘇里, 黑龍江.

*A. (A.) lutconigra* Tesar

Tesar, Ent. Nachr Bl. 12:171, 1939.

中國.

*A. (A.) nijimae* Ohaus

Ohaus, Arch. Natg. 91:126, 1926.

台灣.

*A. (A.) palleola* Gyllenhal

Gyllenhal, Schonh. Syn. Ins. I. 3, Append. p. 107, 1817 (*Melolontha*).

台灣.

*A. (A.) phacogastra* Ohaus

Ohaus, Arch. Natg. 91:129, 1926.

台灣.

*A. (A.) poecilochalcea* Ohaus

Ohaus, Ent. Zeit. 76:328, 1915.

台灣.

*A. (A.) polyanor* Ohaus

Ohaus, Arch. Natg. 82:4, 1916.

Miwa, Syst. Cat. For. Col. p. 295, 1931.

台灣.

*A. (A.) rotundiceps* Sharp

Sharp, Not. Leyd. Mus. 3:234, 1881.

Chapin, Ling. Sci. J. 17(2):249, 1938.

海南島.

*A. (A.) sagax* Ohaus

Ohaus, Arch. Natg. A 4:6, 1922.

台灣.

*A. (A.) szuteri* Ohaus

Ohaus, Ent. Zeit. 76:329, 1915.

台灣.

*A. (A.) sintopyga* Ohaus

Ohaus, Arch. Natg. A 4:8, 1922.

台灣.

*A. (A.) streptopyga* Ohaus

Ohaus, Ent. Zeit. 76:329, 1915.

var. *viridirufa* Ohaus, Arch. Natg. A 4:8, 1922.

var. *fuscoviolacea* Ohaus, Arch. Natg. A 4:8, 1922.

台灣.

Subgenus *Euchlora* M'Leay

*A. (E.) castaneoventris* Bates

Bates, Proc. zool. Soc. Lond. 1866:344, 1866.

Miwa, Syst. Cat. For. Col. p. 297, 1931.

台灣.

*A. (E.) cupripes* Hope

var. *coerulescens* Ohaus, Ent. Zeit. 76:331, 1915.

var. *rufina* Chujo, Nippon no Kochu 3:163, 1914.

台灣.

*A. (E.) expansa* Bates

Bates, Proc. zool. Soc. Lond. 1866:343, 1866.

Miwa, Syst. Cat. For. Col. p. 298, 1931.

台灣.

*A. (E.) trachypyga* Bates

Bates, Proc. zool. Soc. Lond. 1866:344, 1866.

Miwa, Syst. Cat. For. Col. p. 298, 1931.

台灣.

*A. (E.) xanthopleura* Arrow

Arrow, Ann. Mag. nat. Hist. 12(8): 402, 1913.

Miwa, Syst. Cat. For. Col. p. 297, 1931.

台灣.

Genus *Phyllopertha* Stephen

*P. chalcoides* Ohaus

Ohaus, Arch. Natg. A 91:131, 1926.

台灣.

*P. formosana* Niiijima & Kinoshita

Niiijima & Kinoshita, Res. Bull. Col. exp.

For. Hokkaido Imp. Univ. 4:86, 1927.

台灣.

*P. okiawensis* Ohaus

Ohaus, Arch. Natg. A 91:130, 1926.

台灣.

*P. takasagoensis* Sawada

Sawada, Nippon no Kochu 4:51, 1941.

台灣.

*P. tarowana* Sawada

Sawada, Nippon no Kochu 4:51, 1941.

台灣.

Genus *Mimela* Kirby

Subgenus *Paramimela* Ohaus

*M. (P.) holosericea* Ohaus

var. *coerulea* Ohaus, Dtsch. Ent. Zeit. 1943:83, 1944.

黑龍江.

Subgenus *Mimela* Kirby

*M. (M.) antiqua* Ohaus

Ohaus, Stett. Ent. Zeit. 90:268, 1938.

四川.

*M. (M.) chryseis* Bates

Bates, Proc. zool. Soc. Lond. 1866:345, 1866.

台灣.

*M. (M.) foveolata* Ohaus

Ohaus, Dtsch. Ent. Zeit. p. 85, 1943.

中國.

*M. (M.) hauserti* Ohaus

Ohaus, Dtsch. Ent. Zeit. p. 85, 1943.

中國.

*M. (M.) ignicauda* Bates

Bates, Proc. zool. Soc. Lond. 1866:345, 1866.

台灣.

*M. (M.) sauteri* Ohaus

Ohaus, Stett. Ent. Zeit. 99:269, 1938.

台灣.

*M. (M.) stricicollis* Ohaus

Ohaus, Dtsch. Ent. Zeit. p. 86, 1943.

中國.

*M. (M.) splendens* Gyllenhal

subsp. *simplex* Bates, Proc. zool. Soc.  
Lond. 1866:345, 1866.

var. *cyanicollis* Ohaus, Stett. Ent. Zeit.  
76:96, 1915.

var. *murasaki* Chujo, Nippon no Kochu  
3:76, 1940.

台灣.

*M. (M.) yunnana* Ohaus

Ohaus, Dtsch. Ent. Zeit. p. 87, 1844.

雲南.

#### Genus *Popillia* Serv.

*P. bogdanowi* Ball.

Ball., Bull. Moscou 43:345, 1870.

黑龍江.

*P. lotignomus* Ohaus

Ohaus, Stett. Ent. Zeit. 99:270, 1938.

雲南.

*P. comma* Nijima & Kinoshita

Nijima & Kinoshita, Res. Bull. Col. exp.  
For. Hokkaido Imp. Univ. 2:223, 1923.

台灣.

*P. cribricollis* Ohaus

Ohaus, Stett. Ent. Zeit. 99:271, 1938.

雲南.

*P. formosana* Arrow

Arrow, Ann. Mag. nat. Hist. 12:45, 1913.

台灣.

*P. 6-maculata* Kraatz

Kraatz, Dtsch. Ent. Zeit. p. 261, 1892.

中國.

*P. mutans* Newman

var. *indigonacca* Motschulsky, Etud. Ent.  
p. 47, 1853.

Murayama, 長白山綜合調查報告 p. 163,  
1941.

東北, 台灣.

*P. sauteri* Ohaus

Ohaus, Arch. Natg. A 4:2, 1923.

台灣.

#### Genus *Adoretus* Laporte

##### Subgenus *Chaetadoretus* Ohaus

*A. (C.) formosanus* Ohaus

Ohaus, Dtsch. Ent. Zeit. p. 503, f. 33, 1914.

Miwa, Syst. Cat. For. Col. p. 300, 1931.

台灣.

#### Subfamily Dynastinae

##### Genus *Eophileurus* Arrow

*E. confinis* Prell.

Prell., Mém. Soc. Ent. Belg. 22:114, 1913.

上海.

#### Genus *Heteronychus* Burmeister

*H. curtulus* Fairmaire

Fairmaire, Ann. Ent. Belg. 31:115, 1887.

雲南.

*H. simplex* Waterhouse

Waterhouse, Ann. Mag. nat. Hist. 13(5): 370,  
1834.

中國.

#### Genus *Alisicorolus* Arrow

*A. crassum* Arrow

Arrow, Trans. ent. Soc. Lond. 1908:323, 1908.

Miwa, Syst. Cat. For. Col. p. 301, 1931.

台灣.

*A. impressicollis* Arrow

Arrow, Trans. ent. Soc. Lond. 1908:323, 1908.

Miwa, Syst. Cat. For. Col. p. 301, 1931.

台灣.

#### Genus *Pentodon* Hope

*P. bidentulus* Fairmaire

Fairmaire, Rev. d'Ent. 6:319, 1887.

北京.

*P. jeholensis* Nijima & Kinoshita

Nijima & Kinoshita, Rep. First Scient. Exped.  
Manchokuo 1(5):21, pt. 11, art. 55, 1937

熱河.

*P. pumilus* Sharp

Sharp, Scient. Results Second Yarkand Miss.  
p. 53, 1891.

新疆, 西藏.

*P. truncatus* Sharp

Sharp, Scient. Results Second Yarkand Miss.  
p. 52, 1878.

新疆.

Genus *Allomyrina* Arrow

*Tryposylus* Minck, Arch. Natg. A 8, 84:216, 1920.

*A. davidis* Deyr.

Deyr. Ann. Soc. Ent. Fr. 8(5):106, t. 4, f. 3,  
1878.

Prell., Ent. Blatter 30:58, 1934.

中國.

*A. dichotomus* L.

L., Mant. Plant 6:529, 1771.

Burmeister, Handb. Ent. 5:265, 1884.

Schönf., Ent. Nachr. 10:49, 1884.

Cho. Journ. Chosen Nat. Hist. Soc. 15:81,  
1933.

華北.

var. *septentrionalis* Kono, Ins. Mats. 5(4):  
160, 1931.

*tsunobosonis* Kono, Ins. Mats. 5(4): 159,  
1931.

*pilatus* Prell., Ent. Blatter 30:58, 1934.

台灣.

## Subfamily Cetoniinae

Genus *Dicranocephalus* Burmeister*D. bourgoini* Pouillaude

Pouillaude, Insects 4:293, 1914.

台灣.

Genus *Heterorrhina* Westwood*H. macleayi* Kirby

Kirby, Trans. Linn. Soc. Lond. 12:408, t. 21, f. 11,  
1818 (*Cetonia*).

Miwa, Syst. Cat. For. Col. p. 302, 1931.

台灣.

*H. nigrilaris* Hope

Hope, Gray's Zool. Misc. p. 24, 1831 (*Cetonia*).

Miwa, Syst. Cat. For. Col. p. 302, 1931.

台灣.

Genus *Trigorphorus* (Hope) Westwood*T. dilutus* Bourgoin

Bourgoin, Bull. Soc. Ent. Fr. 1914:83, 1914.  
台灣.

*T. gracilipes* Westwood

Westwood, Trans. ent. Soc. Lond. 4:88, t. 5,  
f. 5, 1845.

Miwa Syst. Cat. For. Col. p. 303, 1931.

台灣.

*T. varians* Bourgoin

Bourgoin, Bull. Soc. Ent. Fr. 1914 437, 1914.  
var. *murasaki* Kometani, Ent. World 8:223,  
1940.

ab. *aka* Kometani, Ent. World 8:224, 1940.

台灣.

*T. yunnanus* Schurhoff

Schurhoff, Mitt. Dtsch. Ent. Ges. 6:24, 1935.  
雲南.

Genus *Ingrisma* Fairmaire*I. insulana* Moser

Moser, Stett. Ent. Zeit. 77:141, 1916.

台灣.

*I. paralleliceps* Bourgoin

Bourgoin, Bull. Soc. Ent. Fr. 1914:446, 1914.  
台灣.

Genus *Cosmiomorpha* Saund.*C. horni* Bourgoin

Bourgoin, Bull. Soc. Nat. Luxembourg (N.S.)  
41:46, 1931.

台灣.

*C. sauteri* Bourgoin

Bourgoin, Bull. Soc. Nat. Luxembourg (N.S.)  
41:45, 1931.

台灣.

*C. similis* Fairmaire

Fairmaire, Ann. Soc. Ent. Fr. 68:621, 1900.  
台灣.

Genus *Rhomborrhina* HopeSubgenus *Rhomborrhina* Hope*R. (R.) insularis* Moser

Moser, Dtsch. Ent. Zeit. p. 293, 1910.  
台灣.

*R. (R.) pilifers* Moser

Moser, Dtsch. Ent. Zeit. p. 573, 1914.

*formosana* Moser, Dtsch. Ent. Zeit. p. 562, 1912.

台灣.

*R. (R.) polita* Waterhouse

Waterhouse, Trans. ent. Soc. Lond. 1875:113, 1875.

Miwa, Syst. Cat. For. Col. p. 304, 1931.

台灣.

*R. (R.) splendida* Moser

Moser, Ann. Soc. Ent. Belg. 57:156, 1913.

ab. *ruri* Kometani, Ent. World 8:255, 1940.

台灣.

*R. (R.) unicolor formosana* Moser

Moser, Ann. Soc. Ent. Belg. 53:313, 1909

Miwa, Syst. Cat. For. Col. p. 304, 1931.

台灣.

Subgenus *Terynorhina* Arrow

*R. (T.) apicalis* Westwood

Westwood, Arc. Ent. p. 118, t. 30, f. 2, 1842  
(*Rhomborrhina*).

Miwa, Syst. Cat. For. Col. p. 304, 1931.

台灣.

*R. (T.) aurora* Bourgoin

Bourgoin, Bull. Soc. Ent. Fr. 1914:477, 1914.

台灣.

Genus *Clinteria* Burmeister

*C. aeneofusca* Bourgoin

Bourgoin, Bull. Soc. Ent. Fr. 1915:467, 1915.

台灣.

*C. klugi* Hope

Hope, Gray's Zool. Misc. p. 25, 1931

(*Celonia*).

Kano, Ann. Zool. Jap. 13:132, 1931.

台灣.

*C. spuria* Burmeister

Burmeister, Handb. Ent. 5:555, 1874.

Miwa, Syst. Cat. For. Col. p. 305, 1931.

台灣.

Genus *Agestrata* Eschsch.

*A. orichalcea* Kano

Kano, Ann. Zool. Jap. 13:131, 1931.

台灣.

Genus *Macrowia* Hoffmannsegg

*M. flavofuscata formosana* Moser

Moser, Dtsch. Ent. Zeit. p. 298, 1910  
(*Carolina*).

Miwa, Syst. Cat. For. Col. p. 305, 1931.

台灣.

*M. formosana* Niiijima & Kinoshita

Niiijima & Kinoshita, Res. Bull. Col. exp. For.

Hokkaido Imp. Univ. 2:230, 1923.

台灣.

*M. fuscomaculata* Niiijima & Kinoshita

Niiijima & Kinoshita, Res. Bull. Col. exp.

For. Hokkaido Imp. Univ. 2:229, 1923.

台灣.

*M. hopponus* Niiijima & Kinoshita

Niiijima & Kinoshita, Res. Bull. Col. exp. For.

Hokkaido Imp. Univ. 2:232, 1923.

台灣.

*M. kagiensis* Niiijima & Kinoshita

Niiijima & Kinoshita, Res. Bull. Col. exp. For.

Hokkaido Imp. Univ. 2:231, 1923.

台灣.

*M. lata* Bourgoin

Bourgoin, Bull. Soc. Ent. Fr. 1915:158, 1915.

台灣.

*M. lurida polischana* Kriesche

Kriesche, Arch. Natg. A 8, 86:123, 1921.

台灣.

*M. monaldi* Kano

Kano, Ann. Zool. Jap. 13:132, 1931.

台灣.

*M. nigricolor* Kano

Kano, Ann. Zool. Jap. 13:133, 1931.

台灣.

*M. perrandieri* Kano

ab. *extensa* Kano, Ann. Zool. Jap. 13:134, 1931.

台灣.

*M. procera* Bourgoin

Bourgoin, Bull. Soc. Ent. Fr. 1915:160, 1915.

台灣.

*M. proxima* Bourgoin

Bourgoin, Bull. Soc. Ent. Fr. 1915:156, 1915.

台灣.

*M. stridula* Niiijima & Kinoshita

Niiijima & Kinoshita, Res. Bull. Col. exp. For.

Hokkaido Imp. Univ. 2:232, 1923.

台灣。

Genus *Euselates* Thomson

*E. galei* Waterhouse

Waterhouse, Ann. Mag. nat. Hist. 5:312, 1900.

海南島。

Genus *Celonia* Fabricius

Subgenus *Eucelonia* Schoch.

*C. (E.) prasinata* Bourgoin

Bourgoin, Bull. Soc. Ent. Fr. 1915:174, 1915.

Miwa, Syst. Cat. For. Col. p. 307, 1931.

台灣。

Genus *Liocola* Thomson

*L. breottarsis* Lewis

var. *seulensis* Kolbe, Arch. Natg. p. 194,

t. 2, f. 20, 1886 (*Celonia*).

Kraatz, Dtsch. Ent. Zeit. p. 199, 1888.

Reitter, Best.-Tab. 38:47, 1898 (*Pachnolonia*).

Niiijima & Kinoshita, Rep. First Scient. Exped.

Manchoukuo 1(5):27, 1937.

新島木下, 北大演習研究報告 2(2): 167, 1922.

熱河。

*L. formosana* Moser

Moser, Ann. Soc. Ent. Belg. 54:256, 1910.

台灣。

Genus *Potosia* Mulsant

*P. elegans* Kometani

Kometani, Ent. World, Tokyo 6:443, 1938.

台灣。

*P. famillia* Jans.

subsp. *amurensis* Heyd., Dtsch. Ent. Zeit. 30:235, 1886 (*Celonia*).

黑龍江。

*P. grisea* Niiijima & Kinoshita

Niiijima & Kinoshita, Res. Bull. Col. exp. For.

Hokkaido Imp. Univ. 2:234, 1923.

台灣。

Subgenus *Calopotostia* Reitter

*P. (C.) formosana* Moser

Moser, Ann. Soc. Ent. Belg. 54:357, 1910.

台灣。

*P. (C.) ishigakia* Fairmaire

Fairmaire, Bull. Soc. Ent. Fr. 1898:14, 1898

(*Celonia*).

Miwa, Syst. Cat. For. Col. p. 308, 1931.

台灣。

Genus *Pyropotosia* Reitter

*P. pryri* Janson

Janson, Ann. Mag. nat. Hist. 1(6):195, 1888

(*Celonia*).

Miwa, Syst. Cat. For. Col. p. 309, 1931.

台灣。

Genus *Protaetia* Burmeister

*P. culta* Waterhouse

Waterhouse, Ann. Mag. nat. Hist. 5(5):247, 1879.

Miwa, Syst. Cat. For. Col. p. 308, 1931.

台灣。

*P. ferruginea* Gory & Percheron

Gory & Percheron, Mon. Oct. p. 57, 169, t. 35, f. 3, 1833 (*Celonia*).

Miwa, Syst. Cat. For. Col. p. 308, 1931.

台灣。

*P. guerini* Eyndoux

Eyndoux, Rev. Zool. p. 265, 1839 (*Celonia*).

Miwa, Syst. Cat. For. Col. p. 308, 1931.

台灣。

*P. spinosa* Moser

Moser, Ann. Soc. Ent. Belg. 55:122, 1911.

台灣。

*P. taiwana* Niiijima & Kinoshita

Niiijima & Kinoshita, Res. Bull. Col. exp. For.

Hokkaido Imp. Univ. 2:236, 1923.

台灣。

Genus *Pocilophilides* Kraatz

*P. crucifera* Olivier

Olivier, Ent. 1 (6): 39, t. 5, f. 29, 1789

(*Celonia*).

Miwa, Syst. Cat. For. Col. p. 309, 1931.

台灣。

Genus *Glycyphana* Burmeister

*G. amourensis* Thomson

Thomson, Bull. Soc. Ent. Fr. 8 (5): 24, 1878,



黑龍江.

*G. calena* Arrow

Arrow, Fauna Brit. Ind. Lamellicornia 1:  
120-122, f. 29, 1910.

Miwa, Syst. Cat. For. Col. p. 309, 1931.

台灣.

*G. horsfieldi* Hope

Hope, Gray's Zool. Misc. p. 25, 1831 (*Celonia*).  
Chapin, Ling. Sci. J. 17(2):250, 1938.

海南島.

*G. incongrua* Janson

Janson, Cist. Ent. 2:388, 1878.

Miwa, Syst. Cat. For. Col. p. 309, 1931.

台灣.

*G. tonkinensis* Moser

Moser, Dtsch. Ent. Zeit. p. 594, 1914.

Miwa, Syst. Cat. For. Col. p. 309, 1931.

台灣.

Genus *Glycosta* Schoch.

*G. nigra* Kometani

Kometani, Ent. World 8:155, 1940.

台灣.

Genus *Oxytelonia* Arrow

*O. amurensis* Tesar

Tesar, Ent. Nachr Bl. 12:171, 1939.

黑龍江.

*O. costigera* Bourgoin

Bourgoin, Bull. Soc. Ent. Fr. 1915:168 1915.

台灣.

*O. forticula* Janson

Janson, Cist. Ent. 2:608, 1881.

Miwa, Syst. Cat. For. Col. p. 310, 1931.

台灣.

*O. jucunda* Falderm.

ab. *dolens* Kraatz, Dtsch. Ent. Zeit. 23:236,  
1879 (*Glycyphana*). Nijima & Kinoshita,  
Rep. First Scient. Exped. Manchoukuo 1(5):27, 1937.

熱河.

ab. *speciosa* Tesar, Ent. Nachr Bl. 12:171,  
1939.

福建.

*O. versicolor* Fabricius

Fabricius, Syst. Ent. p. 51, 1775 (*Celonia*).

Miwa, Syst. Cat. For. Col. p. 310, 1931.

台灣.

Genus *Campslura* Hosa

*C. omisiena* Heller

Heller, Ent. Blätter 19:77, 1923.

中國.

Genus *Callynomes* Westwood

*C. davidis* Fairmaire

subsp. *nigra* Kano, Ann. Zool. Jap. 13:131,  
1931.

台灣.

Genus *Coelodera* Hope

*C. nigroscutellaris formosana* Moser

Moser, Dtsch. Ent. Zeit. p. 297, 1910.

Miwa, Syst. Cat. For. Col. p. 305, 1931.

台灣.

*C. pentellata* Hope

Hope, Gray's Zool. Misc. p. 25, 1831.

Miwa, Syst. Cat. For. Col. p. 305, 1931.

台灣.

Genus *Euchloropus* Arrow

*E. laetus* Fabricius

Fabricius, Syst. El. 2:150, 1801 (*Celonia*).

Miwa, Syst. Cat. For. Col. p. 303, 1931.

台灣

Genus *Pseudogenius* Heller

*P. testaceipennis* Heller

Heller Ent. Blätter 19:79, 1923.

中國.

Genus *Atropinota* Heller

*A. funkei* Heller

Heller, Ent. Blätter 19:78, 1923.

中國.

Genus *Stenonota* Fairmaire

*S. semirugata* Fairmaire

Fairmaire, Ann. Soc. Ent. Fr. 9(6):30, 1889.

中國.

Subfamily Trichiinae

Genus *Gnorimus* Serv

*G. formosanus* Nijima & Kinoshita

Niijima & Kinoshita, Res. Bull. Col. exp. For.  
Hokkaido Imp. Univ. 2:236, 1923.

台灣.

*G. tibialis* Chujo

Chujo, Trans. nat. Hist. Soc. Formosa 28:444,  
1938.

台灣.

#### Genus *Trichius* Fabricius

*T. bifasciatus* Moser

Moser, Berl. Ent. Zeitschr. 46:532, 1901.

Miwa, Syst. Cat. For. Col. p. 301, 1931.

台灣.

*T. cupreipes* Bourgoin

Bourgoin, Bull. Soc. Ent. Fr. 1915:175, 1915.

台灣.

*T. diversicolor* Bourgoin

Bourgoin, Bull. Soc. Ent. Fr. 1915:177, 1915.

台灣.

*T. elegans* Kano

Kano, Ann. Zool. Jsp. 13:127, 1931.

台灣.

*T. miwat* Chujo

Chujo, Trans. nat. Hist. Soc. Formosa 31:37,  
1941.

台灣.

*T. taiheisanus* Kano

Kano, Ann. Zool. Jap. 13:128, 1931.

台灣.

*T. uratensis* Kano

Kano, Ann. Zool. Jap. 13:130, 1931.

台灣.

#### Genus *Paratrichius* Jans.

*P. vittatus* Sawada

Sawada, Nippon no Kochu 3:44, 1939.

台灣.

#### Subfamily Valginae

##### Genus *Valgus* Scriba

*V. heydeni* Semenow

Semenow, Hor. Ent. Ross. 25:331, 1891.

四川.

#### Genus *Dasyvalgus* Kolbe

*D. kamtyat* Sawada

Sawada, Nippon no Kochu 4:11, 1941.

台灣.

*D. pubicollis* Pic

Pic, Melanges Exot. Ent. Moulins 52:4, 1928.

西藏.

*D. takasagoensis* Sawada

Sawada, Nippon no Kochu 4:12, 1941,

台灣.

#### Genus *Hybovalgus* Kolbe

*H. laticollis* Arrow

Arrow, Trans. R. ent. Soc. Lond. 94:238, 1945,

華北.

*H. thoracicus* Moser

Moser, Ann. Soc. Ent. Belg. 55:128, 1911.

台灣.

#### Genus *Charitvalgus* Kolbe

*C. banzai* Sawada

Sawada, Nippon no Kochu 4:8, 1941.

台灣.

*C. formosanus* Sawada

Sawada, Nippon no Kochu 3:42, 1939.

台灣.

#### Genus *Chromovalgus* Kolbe

*C. formosanus* Moser

Moser, Dtsch. Ent. Zeit. p. 598, 1915.

Miwa, Syst. Cat. For. Col. p. 302, 1931.

台灣.

*C. laetus* Arrow

Arrow, Ann. Mag. nat. Hist. 19(5):408, 1897  
(*Valgus*).

Miwa, Syst. Cat. For. Col. p. 302, 1931.

台灣.

下列 8 種, 2 變型根據胡氏中國昆蟲目錄記載, 分佈於蒙古, 但根據其他文獻的記載, 尚有分佈於國內下列諸地區, 故加以補充.

#### Subfamily Melolonthinae

##### Genus *Maladera* Mulsant

*M. orientalis* Motsch.

Dalla Torre, Col. Cat. 45:18, 1912.

中國.

#### Genus *Holotrichia* Hope

*H. ernesti* Reitter

村山鑛造, 滿洲生物學會會報 4(2):74-86, 1941.

金州東北。

*H. picea* Waterhouse

村山釀造, 滿洲生物學會會報 4(2):74-86, 1941.

金州, 得利寺, 龍潭山。

Genus *Tremalodes* Falderm

*T. tenebrioides* Pallas

村山釀造, 滿洲生物學會會報 4(2):74-86, 1941.

大連, 金州, 萬家嶺, 熊岳城, 錦縣。

Genus *Amphimallon* Berhold

*A. scitistialis* Linn.

村山釀造, 滿洲生物學會會報 4(2):74-86, 1941.

東北。

Genus *Hoplia* Ill.

*H. aureola* Pallas

村山釀造, 長白山綜合調查報告 p. 162, 1941.

東北。

Subfamily Rutelinae

Genus *Anomala* Samouelle

Subgenus *Anomala* Sam.

*A. (A.) mogolica* Falderm.

Ohaus, Col. Cat. 46:75, 1915.

黑龍江。

Subfamily Cetoniinae

Genus *Liocola* Thomson

*L. brevitarsis* Lewis

ab. *cyanoventris* Kraatz

Schenkling, Col. Cat. 72:221, 1921.

黑龍江。

Genus *Glycyphana* Burmeister

*G. variolosa* Motsch.

Schenkling, Col. Cat. 72:279, 1921.

黑龍江。

Genus *Orycteloma* Arrow

*O. jucunda* Falderm.

ab. *variolosa* Motsch.

Schenkling, Col. Cat. 72:282, 1921.

黑龍江。

## List of Recorded Species of Chinese Scarabaeidae.

### (A Supplement to Wu's Catalogus Insectorum Sinensium)

Ko-hsuei Hwang

(Department of Entomology, Peking Agricultural University)

The family Scarabaeidae is one of the largest and most important families of the order Coleoptera. The feeding habits of this family can usually be divided into two main groups, the coprophagus group and the phytophagus group. Most of them are considered to be injurious to various economic plants.

According to Wu's Catalogus Insectorum Sinensium (1936), there are 886 recorded Chinese species. Y. T. Mao (1940) added 40 species as the first supplement. Both of them did not include the Taiwan species. Therefore there are only 926 species. Based upon the available literatures, up to 1945, 336 species, 6 subspecies, 22 varieties and 12 aberrations should be added to the previous compilations. They are distributed among 13 subfamilies. The majority of them are Taiwan species. Besides, 8 species and 2 aberrations recorded from Mongolia in Wu's Catalogue are retained together with additional records from China.